



EXPOSITION &
ÉVÉNEMENTIEL

Tents


Steel Tent




EN Promotional tent made of steel and painted in white. Ideal for outdoor events. Fast and easy to assemble.
FR Tente pour événements, fabriquée en acier peint en blanc. Idéale pour les événements extérieurs. Montage facile.

PT Tenda com estrutura de aço. Materiais: Aço, plástico e tecido. De fácil e rápida montagem. Disponível em várias cores.
ES Carpa para eventos, realizada en acero lacado en blanco. Ideal para eventos de exterior. Fácil montaje. Disponible en varios colores.

Steel Tent 2x2



available in white, red or blue colour



2x2

S.Tent 2x2	QTY	N.W	G.W	C.B.M.	Size
10.181	1	19kg	21kg	0.1	1570x230x260mm
10.182	1	19kg	21kg	0.1	1570x230x260mm
10.183	1	19kg	21kg	0.1	1570x230x260mm


2000x2000mm



Steel Tent 2x3



available in red, white or blue colour



2x3

S.Tent 2x3	QTY	N.W	G.W	C.B.M.	Size
10.184	1	19kg	21kg	0.1	1570x230x260mm
10.185	1	19kg	21kg	0.1	1570x230x260mm
10.186	1	19kg	21kg	0.1	1570x230x260mm

2000x3000mm




Tents

Steel Tent



Economic Steel Tent 3x3

ECONOMIC



3x3

S.Tent 3x3	QTY	N.W	G.W	C.B.M.	Size
10.817	1	19kg	21kg	0.1	1570x230x260mm
10.818	1	19kg	21kg	0.1	1570x230x260mm

3000x3000mm



Tent Base

NEW



10kg steel base




Steel Base	QTY	N.W	G.W	C.B.M.	Size
Packing	1	10kg	10.7kg	0.02	400x400x100mm
10.254					Ø 270mm

Tents

Steel Tent



Steel Tent 3x3



3x3



trolley bag with wheels included



available in blue, white or red colour

deluxe steel tent 3x3


S. Tent 3x3	QTY	N.W	G.W	C.B.M.	Size
10.187	1	19kg	21kg	0.1	1570x230x260mm
10.188	1	19kg	21kg	0.1	1570x230x260mm
10.189	1	19kg	21kg	0.1	1570x230x260mm
3000x3000mm					

Tents

Steel Tent



Steel Tent 3x4.5



3x4.5

S. Tent 3x4.5	QTY	N.W	G.W	C.B.M.	Size
10.190	1	24kg	26kg	0.1	1570x250x270mm
10.220	1	24kg	26kg	0.1	1570x250x270mm
10.250	1	24kg	26kg	0.1	1570x250x270mm
3000x4500mm					




available in red, white or blue colour



steel tent 3x4.5

Steel Tent 3x6



3x6

S. Tent 3x6	QTY	N.W	G.W	C.B.M.	Size
10.251	1	37kg	39kg	0.1	1570x260x400mm
10.252	1	37kg	39kg	0.1	1570x260x400mm
10.253	1	37kg	39kg	0.1	1570x260x400mm
3000x6000mm					



available in red, white or blue colour



steel tent 3x6

Tents


Aluminium Tent




EN Event tent made in aluminium and polyester. Available in two sizes. Ideal for outdoor events and easy to assemble.
FR Tente fabriquée en aluminium et polyester. Disponible en deux dimensions. Idéale pour événements extérieurs, montage facile.

PT Tenda de alumínio com laterais. Materiais: Alumínio, plástico e tecido. Fácil e rápido de montar. Disponível em 2 tamanhos.
ES Carpa para eventos realizada en aluminio y poliéster. Ideal para eventos de exterior y de fácil montaje. Disponible en dos tamaños.

Aluminium Tent



3x3



3x4.5

AL Tent 3x3	QTY	N.W	G.W	C.B.M.	Size
Packing	1	13kg	15kg	0.08	1550x220x220mm
	10.433				3000x3000mm

AL Tent 3x4.5	QTY	N.W	G.W	C.B.M.	Size
Packing	1	17kg	19kg	0.1	1550x250x250mm
	10.434				3000x4500mm

Inflatables


Inflatable



EN Inflatable with electric motor (which pumps air continuously). Great visual impact. Can be set-up fast, easy on any ground.
FR Structure gonflable, idéale pour capter l'attention du public. Grand impact visuel. Dispose d'un moteur à air continu. Rapide à monter.


PT Estrutura insuflável ideal para captar a atenção do público. Grande impacto visual. Dispõe de um motor de ar contínuo. De fácil e rápida montagem.
ES Estructura hinchable, ideal para captar la atención, proporcionando un gran impacto visual. Dispone de un motor de aire continuo. Fácil montaje.

Inflatable Arch



Inflat. Arch	Size
15.166	<input type="checkbox"/>
15.167	<input checked="" type="checkbox"/> 6000x4000mm
15.168	<input type="checkbox"/>

Air Dancer



Air Dancer	Size
15.152	<input checked="" type="checkbox"/> Ø450x6000mm
15.154	<input type="checkbox"/>

Inflatables

Inflatable

Inflatable Light Tube


with electrical fan motor

with light!

- EN Light tube with electrical fan motor wich pumps air continuously! For any publicity display. Fast and easy assembly.
- FR Tôtém gonflable cylindrique avec lumière à l'intérieur, conçu pour être placé dans différents espaces et pour divers usages publicitaires. Dispose d'un moteur à air continu. Montage facile.
- PT Tótem cilíndrico insuflável com luz no interior, preparado para colocar em diferentes espaços y propicio para distintos usos publicitarios. Dispone de un motor de aire continuo. Fácil montaje.
- ES Tótem hinchable cilíndrico con luz en su interior, preparado para colocar en diferentes espacios y propicio para distintos usos publicitarios. Dispone de un motor de aire continuo. Fácil montaje.



2.3m




Light Tube	Size
15.155 <input checked="" type="checkbox"/>	Ø400x2300mm
15.156 <input type="checkbox"/>	

Inflatable Tent

white or red colour

- EN Inflatable Tent with removable sides through zippers. Includes an air motor. Ideal for mounting large events and advertising publicity events. Supplied with accessories. Fast and easy to assemble.
- FR Tente gonflable avec cotés démontables à l'aide de fermetures. Inclus un moteur à air. Facile de montage. Idéale pour les événements de grands espaces publicitaires pouvant être personnalisés. Livrée avec différents accessoires. Montage facile.
- PT Tenda insuflável com laterais desmontáveis mediante fecho zíper. Inclui um motor de ar continuo. Ideal para a realização de eventos. Dispõe de um grande espaço publicitário personalizável. Inclui acessórios. Fácil de montar.
- ES Carpa hinchable con laterales desmontables mediante cremalleras. Incluye un motor de aire. Ideal para el montaje de eventos y gran espacio publicitario para ser personalizada. Incluye accesorios. De fácil y rápido montaje.



4.25 x 4.25 x 2.9m



Inflat. tent	Size
15.158 <input type="checkbox"/>	4250x4250x2900mm
15.159 <input checked="" type="checkbox"/>	

Inflatables


Inflatable

Inflatable Auditorium Tent

- EN Auditorium Tent on measure 4,5 x 4,5m. Ideal for organizing outdoor events. Includes a continuous air motor. Supplied with accessories. Fast and easy assembly.
- FR Tente auditorium de mesure 4,5x4,5 m. Idéale pour l'organisation d'événements extérieurs. Inclus un moteur à air continu. Livrée avec différents accessoires. Facile et rapide à monter.
- PT Tenda auditório de 4,5x4,5m. Ideal para a organização de eventos exteriores. Inclui um motor de ar continuo no exterior do insuflável. Inclui acessórios. Fácil de montar.
- ES Carpa Auditorio en medida 4,5x4,5m. Ideal para la organización de eventos de exterior. Incluye un motor de aire continuo. Se suministra con accesorios. Fácil y rápido montaje.



4.5 x 4.5 x 2.9 m



inflatable auditorium tent



accessories are included

Auditorium	Size
15.169 <input type="checkbox"/>	4500x4500x2900mm

Tentes & Totems gonflables



- LEGERETE EXCEPTIONNELLE & PERFORMANCES EXTRÊMES
- SIMPLICITÉ DE MONTAGE ET DÉMONTAGE
- Eco-RESPONSABLE
- PRATIQUE ET FACILE À TRANSPORTER
- SANS ELECTRICITE, NI MOTEUR, NI BRUIT



2

TENTES & TOTEMS GONFLABLES



Coloris standards




Ultra léger
moins de 15 kg

17

Tentes gonflables

X Roof

- La tente gonflable à air captif nouvelle génération.
- Structure renforcée et toit interchangeable.
- Structure DACRON et chambre à air P.U.



X roof	Tailles		
	M	L	XL
Largeur (m)	3x3	4x4	5x5
Hauteur (m)	2,62	3,07	3,92
Poids (kg)	125	17	23

100% imprimable

Sans moteur électrique

Ultra résistant jusqu'à
70km/h de vent

Plus de 25m² de surface
couverte sur le modèle XL

16

Impression



Amovible
par zipper


Impression et façonnage réalisés en France



- Impression « total covering ».
- Sublimation avec rendu optimal qualité photo.
- Tissu polyester 320gr, classé M1 non inflammable.


18

Impression amovible



19

Eclaté



20

Accessoires

Sac accessoires



Pompe 220V



Tube de renfort latéral



Pompe manuelle



Kit haubanage (x4)



Bavette



Pompe 12 volts sur batterie



Sac de lestage 10kg
A remplir de sable




Connexion (noir & blanc)



21

expodome

3 x 3 m



product details		
	Expodome 3 x 3 m	
profile foot	38 mm Ø anodised Aluminium	
	thickness: 1,5 mm	
profile visor	30 mm Ø anodised Aluminium	
	thickness: 1,5 mm	

size A	width B	height C	height visor D	total height E	packing size	weight net/total*	shape
Expodome 3 x 3 m							
frame	300 cm	210 cm	200 cm	365 cm	160 x 33 x 221	13/18 kg	

*weight incl. bag and package



expodome

3x3 m accessories



sidewall Standard



sidewall Panorama with window




sidewall Standard with door



Dome Banner




visor



connection-tunnel between 2 Domes



foot-weight-plates



stake kit (inclusive with each Dome)



nailpuller with integrated hammer


expofloor		advantages at a glance
details		<ul style="list-style-type: none"> easy to setup due to strong connection system can be easily cut with a regular saw surface with holes for better de-watering UV stable accessible by trucks and forklifts (130 tons) anti-slippery-surface Ramps and corner-ramps available
size in cm L/W/D	50/50/2,7	
weight in kg/m²	5,8	
surface load TÜV cert.	130 t	
colour	black	

expodome LED 4-spots		advantages at a glance
details		<ul style="list-style-type: none"> fixation at the peakpole turnable LED-spots perfect optical shape Tcarrybag inclusive
output in Watt	160 (4x40 Watt)	
Voltage	230 V	
weight in kg incl. bag	3,0	
cable	10 m	

INFRARED-heating		advantages at a glance
details		<ul style="list-style-type: none"> fixation with velcro at the frame turnable
output in Watt	1400	
Voltage	230 V	
weight in kg incl. bag	2,54	
cable	not incl.	
heating area per pc	up to 12 m²	
size in mm L/W/D	483/144/152	

expodome

4,8m / 6m / 9m



productdetails				
	Expodome 4,8 m	Expodome 6 m	Expodome 9 m	
profile leg	40 mm Ø anodised Aluminium	40 mm Ø anodised Aluminium	54 mm Ø anodised Aluminium	
	2,5 mm	2,5 mm	3,0 mm	
profile visor	38 mm Ø anodised Aluminium	38 mm Ø anodised Aluminium	38 mm Ø anodised Aluminium	
	1,5 mm	1,5 mm	1,5 mm	

diameter A	width B	height C	visor-height D	total height E	packing size	weight net/gross*	shape incl. visor
Expodome 4,8 m							
frame cover tarpaulin nails/stake-kit	300 cm	190 cm	210 cm	355 cm	204 x 40 x 33 cm 120 x 50 x 25 cm 90 x 40 x 15 cm 85 x 20 x 12 cm	45,4 / 50,91 kg 10,2 / 18,6 kg 7,0 / 8,0 kg 17,0 / 18,0 kg	
Expodome 6 m							
frame cover tarpaulin nails/stake-kit	400 cm	215 cm	235 cm	400 cm	204 x 40 x 33 cm 120 x 50 x 25 cm 90 x 40 x 15 cm 85 x 20 x 12 cm	48,6 / 54,0 kg 12,5 / 20,6 kg 7,0 / 8,0 kg 17,0 / 18,0 kg	
Expodome 9 m							
frame cover tarpaulin nails/stake-kit	565 cm	260 cm	300 cm	576 cm	207 x 45 x 38 cm 120 x 50 x 25 cm 90 x 40 x 27 cm 85 x 20 x 12 cm	82,7 / 88,4 kg 20,5 / 28,6 kg 16,5 / 17,5 kg 17,0 / 18,0 kg	

* weight incl. carton-box, wheels-carrybag



expodome

4,8m / 6m / 9m accessories



sidewall Standard *



sidewall Standard with door *



sidewall Panorama with window *



sidewall Panorama with door *



sidewall Panorama with curtain *



Dome Banner

* sidewalls for Expodome 4,8 / 6 / 9m are available with fixation either on the cover (inside) or on the visor (outside)



visor



stake-kit (incl.)




foot-weight 25 kg



nailpuller with integrated hammer



Dome-cover carrybag with wheels




connection-tunnel between 2 Domes

expofloor		advantages at a glance
details		<ul style="list-style-type: none"> easy to setup due to strong connection system can be easily cut with a regular saw surface with holes for better de-watering UV stable accessible by trucks and forklifts (130 tons) anti-slippery-surface Ramps and corner-ramps available
size in cm L/W/D	50/50/2,7	
weight in kg/m ²	5,8	
surface load TÜV cert.	130 t	
colour	black	

expodome LED		advantages at a glance
details		<ul style="list-style-type: none"> fixation at the peakpole lightweight perfect optical shape (pentagon like the Dome) carrybag included
output in Watt	50 (5x10 Watt)	
Voltage	85 - 265 V AC	
weight in kg incl. bag	7,5	
cable	10 m	
luminous flux	900 Lumen	






productdetails		
profiles:	44 mm „Octagon“ anodised Aluminium	
	leg: 1,8 mm	
scissors:	20 x 39 x 1,5 mm strengthened	

* optional available: R = transport-wheels-set (see photos Premium)
K = clickwheel per leg

size A x B	passing-height C	height total D	valance E	packing size	weight	shape and leg	carrybag cords nails	*
3,00 x 3,00 m	200 cm/ 230 cm	333 / 363 cm	35 cm	170 x 37 x 42 cm	43,5 kg		✓	R/K
4,50 x 3,00 m	200 cm/ 230 cm	333 / 363 cm	35 cm	170 x 51 x 42 cm	55,3 kg		✓	R/K
6,00 x 3,00 m	200 cm/ 230 cm	333 / 363 cm	35 cm	170 x 66 x 42 cm	74,4 kg		✓	R/K
4,00 x 4,00 m	200 cm/ 230 cm / 250 cm	370 / 400 / 420 cm	35 cm	214 x 37 x 42 cm	58,5 kg		✓	R/K
6,00 x 4,00 m	200 cm/ 230 cm / 250 cm	370 / 400 / 420 cm	35 cm	205 x 52 x 42 cm	68 kg		✓	K
8,00 x 4,00 m	200 cm/ 230 cm / 250 cm	370 / 400 cm / 420 cm	35 cm	205 x 66 x 44 cm	93,6 kg		✓	K
5,00 x 5,00 m	200 cm/ 230 cm / 250 cm	394 / 424 / 444 cm	35 cm	182 x 66 x 71 cm	109,8 kg		✓	K
6,00 x 6,00 m	200 cm/ 230 cm / 250 cm	423 / 453 / 473 cm	35 cm	182 x 66 x 71 cm	122,2 kg		✓	K




productdetails		
profiles:	38 mm „Octagon“ anodised Aluminium	
	leg: 1,8 mm	
scissors:	12 x 26 x 1,5 mm strengthened	

size A x B	passing-height C	height total D	valance E	packing size	weight	shape and legs	carrybag cords nails	transport-wheels-set
2,00 x 2,00 m	200 cm/ 230 cm	304 / 334 cm	35 cm	170 x 28 x 32 cm	28 kg		✓	optional
3,00 x 2,00 m	200 cm/ 230 cm	331 / 361 cm	35 cm	170 x 40 x 32 cm	35 kg		✓	optional
2,50 x 2,50 m	200 cm/ 230 cm	331 / 361 cm	35 cm	170 x 28 x 32 cm	30 kg		✓	optional
3,00 x 3,00 m	200 cm/ 230 cm	330 / 360 cm	35 cm	170 x 28 x 32 cm	32 kg		✓	optional
4,50 x 3,00 m	200 cm/ 230 cm	330 / 360 cm	35 cm	170 x 40 x 32 cm	40 kg		✓	optional
6,00 x 3,00 m	200 cm/ 230 cm	330 / 360 cm	35 cm	170 x 50 x 34 cm	52 kg		✓	optional
4,00 x 4,00 m	200 cm/ 230 cm / 250 cm	330 / 360 cm / 380 cm	35 cm	205 x 28 x 32 cm	37 kg		✓	optional



expotent
basic




productdetails		
profile:	30 x 30 mm anodised Aluminium	
	leg: 1,8 mm	
scissors:	12 x 26 x 1,3 mm strengthened	

size A x B	passing-height C	height total D	valance E	packing-size	weight	shape and legs	carrybag cords nails
3,75 x 2,50 m	200 cm	330 cm	35 cm	155 x 36 x 30 cm	24,7 kg		✓
3,00 x 3,00 m	200 cm	330 cm	35 cm	155 x 27 x 30 cm	22,8 kg		✓
4,50 x 3,00 m	200 cm	330 cm	35 cm	155 x 37 x 30 cm	31,6 kg		✓
6,00 x 3,00 m	200 cm	330 cm	35 cm	155 x 47 x 30 cm	37,2 kg		✓




expotent
budget PRO



productdetails		
profile:	50 mm „Hexagon“ anodised Aluminium	
	leg: 1,2 mm	
scissors:	18 x 38 x 1,2 mm	


size A x B	passing-height C	height total D	valance E	packing size	weight	shape and legs	carrybag cords nails
3,00 x 3,00 m	200 cm	330 cm	35 cm	160 x 32 x 30 cm	25,0 kg		✓
4,50 x 3,00 m	200 cm	330 cm	35 cm	160 x 43 x 30 cm	32,0 kg		✓
6,00 x 3,00 m	200 cm	330 cm	35 cm	160 x 55 x 30 cm	46,0 kg		✓





productdetails		
profile:	40 mm „Hexagon“ anodised Aluminium	
	leg: 1,4 mm	
scissors:	12 x 26 x 1 mm strengthened	

size A x B	passing-height C	height total D	valance E	packing size	weight	shape and legs	carrybag cords nails
3,00 x 3,00 m	200 cm	330 cm	35 cm	160 x 27 x 30 cm	22,8 kg		✓
4,50 x 3,00 m	200 cm	330 cm	35 cm	160 x 37 x 30 cm	31,6 kg		✓
6,00 x 3,00 m	200 cm	330 cm	35 cm	160 x 47 x 30 cm	37,2 kg		✓



transport-wheels-set



click-wheels-set (incl. bag) - only for professional frames



connecting clamps



brochure-holder at tentleg



raingutter horizontal



raingutter vertical



stake-kit (nails/cords)



repairing-set



foot-weight-plates

expofloor	
details	
size in cm L/W/D	50/50/2,7
weight in kg/m ²	5,8
surface load TÜV cert.	130 t
colour	black

advantages at a glance	
•	easy to setup due to strong connection system
•	can be easily cut with a regular saw
•	surface with holes for better de-watering
•	UV stable
•	accessible by trucks and forklifts (130 tons)
•	anti-slippery-surface
•	Ramps and corner-ramps available



expodome LED 4-spots	
details	
output in Watt	160 (4x40 Watt)
Voltage	230 V
weight in kg incl. bag	3,0
cable	10 m

advantages at a glance	
•	fixation at the peakpole
•	turnable LED-spots
•	perfect optical shape
•	Tcarrybag inclusive



INFRARED-heating	
details	
output in Watt	1400
Voltage	230 V
weight in kg incl. bag	2,54
cable	not incl.
heating area per pc	up to 12 m ²
size in mm L/W/D	483/144/152

advantages at a glance	
•	fixation with velcro at the frame
•	turnable





sidewall Standard



sidewall Standard with door



sidewall Panorama with window



sidewall S-Panorama with rounded windows



sidewall S-Panorama with rounded windows and door



sidewall 1/2-high bottom part



sidewall 1/2-high upper closing part



sidewall-height-extension 30cm (logobanner)



sidewall-height-extension 50cm (logobanner)



connecting-bar telescopic



connecting-bar diagonal




tent-sky

product details

sizes	in m	4 x 4 5 x 5 6 x 6
total height (incl. cupola)	in cm	340 405 480
inner height	in cm	245 305 370
height of entrance	in cm	195 230 280
tube - diameter	in cm	25 30 36
weight	in kg	20 30 44
wind limit 4x4 m	in km/h	70
wind limit 5x5 m	in km/h	60
wind limit 6x6 m	in km/h	50
individually printable		✓

accessories

lighting, electric pump	✓
ring-shaped ballast (22, 26, 32 litre)	✓
connecting - tunnel	✓



	A(cm)	B(cm)	C(cm)	D(cm)
AXL 44	400	340	200	270
AXL 55	500	405	240	340
AXL 66	600	480	290	480



advantages at a glance:

- | unique design with cupola
- | built up even faster than the aluminium expodome
- | small pack-size
- | big, individually printable advertising space
- | pneumatic construction without permanent fan
- | a filling-/deflating-valve and a separate over-pressure-valve on every single leg
- | easily changeable when damaged
- | cover fixed with zipper on the tubes - therefore easily changeable



© Publicity Shop Sàrl / +41 21 948 89 80 / info@publicityshop.ch / Avenue de la gare 51 / 1618 Châtel-St-Denis